

MIRRORS &
MEDICINE CABINET

MIRRORS & MEDICINE CABINET



CATALOGUE

MIRRORS & MEDICINE CABINET

1

ROUND
FRAMELESS
MIRRORS

P03-P04
RING



P05-P06
SELENE



P07-P08
APOLLO



P09-P10
CRYSTAL



P11-P12
RAINBOW



2

SQUARE
FRAMELESS
MIRRORS

P15-P16
PALACE



P17-P18
TWINS



P19-P20
NOBLE



P21-P22
AURORA



P23-P24
EROS



P25-P26
VENUS



P27-P28
HARMONY



P29-P30
DAWN



P31-P32
GALAXY



P33-P34
PEACE



P35-P36
MELODY



3

FRAMED
MIRRORS


P39-P40
GLORY



P41-P42
AGNES



P43-P44
FLORA



P45-P46
FAIRY



P47-P48
ROYAL



4

MEDICINE
CABINET

P51-P52
DREAM



P53-P54
GEMINI



P55-P56
ETERNITY




P57-P58
LIBERTY



P59-P60
EXPLORER



P61-P62
SECRET



5

MAKE-UP
MIRRORS


P65-P66
MIRACLE



P67-P68
MAGIC



**ROUND
FRAMELESS MIRRORS**



RING

5MM

Copper-free mirror

LED

2835 beads

ANTI-FOGGING


With heating pad


OPTIONAL

Time display

**DOUBLE
TOUCH SWITCHES**

CODE	Ø DIAMETER (mm)	DEPTH (mm)
RS-J06-100e-1-A	Ø800	30mm
RS-J06-100e-1-B	Ø600	30mm





SELENE

5MM

Copper-free mirror

LED

2835 beads

IP44

Waterproof rating

OPTIONAL

Heating pad


OPTIONAL

Time display

**SINGLE
TOUCH SWITCH**

CODE	Ø DIAMETER (mm)	DEPTH (mm)
RS-J15-100e-2-A	Ø600	40mm
RS-J15-100e-2-B	Ø800	40mm
RS-J15-100e-2-C	Ø1000	40mm






APOLLO

- 5MM**
Copper-free mirror
- LED**
3838 BI-colorbeads
- ANTI-FOGGING**
With heating pad
- ARYLIC OR PS DIFFUSED LED LIGHTING**
- OPTIONAL**
Time display
- SINGLE TOUCH SWITCH**

CODE	Ø DIAMETER (mm)	DEPTH (mm)
RS-J16-100e-5-A	Ø800	40mm
RS-J16-100e-5-B	Ø600	40mm





CRYSTAL

- 5MM**
Copper-free mirror
- LED**
3838 BI-colorbeads
- OPTIONAL**
Heating pad
- ARYLIC OR PS DIFFUSED
LED LIGHTING**
- OPTIONAL**
Time display
- SINGLE
TOUCH SWITCH**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-6-A	550mm	800mm	40mm
RS-J16-100e-6-B	800mm	1200mm	40mm








RAINBOW-1

- 5MM**
Copper-free mirror
- LED**
3838 Tri-color beads
- ANTI-FOGGING**
With heating pad
- SUPER SMOOTH EDGE**
- TEMPERED CRAFT-GLASS**
- SINGLE TOUCH SWITCH**



CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)	GLASS COLOR
RS-J09-100e-1	Ø800	Ø800	40mm	Crtystal clear/Crystal Gray/Rainbow glaze
RS-J09-100e-2	800mm	1800mm	40mm	Crtystal clear/Crystal Gray/Rainbow glaze




RAINBOW-2

- 5MM**
Copper-free mirror
- LED**
3838 Tri-color beads
- ANTI-FOGGING**
With heating pad
- SUPER SMOOTH EDGE**
- TEMPERED CRAFT-GLASS**
- SINGLE TOUCH SWITCH**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)	GLASS COLOR
RS-J09-100e-1	Ø800	Ø800	40mm	Crtystal clear/Crystal Gray/Rainbow glaze
RS-J09-100e-2	800mm	1800mm	40mm	Crtystal clear/Crystal Gray/Rainbow glaze




**SQUARE
FRAMELESS MIRRORS**



PALACE

- 4MM**
Copper-free mirror
- LED**
2835 beads
- IP44**
Waterproof rating
- ANTI-FOGGING**
With heating pad
- OPTIONAL**
Time display
- SINGLE TOUCH SWITCH**
- VERTICAL** OR **HORIZONTAL HANGING**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-1-A	500mm	700mm	45mm
RS-J14-100e-1-B	600mm	900mm	45mm
RS-J14-100e-1-C	1200mm	700mm	45mm





TWINS

4MM

Copper-free mirror

LED

2835 beads

IP44

Waterproof rating

ANTI-FOGGING

With heating pad

OPTIONAL

Time display


**SINGLE
TOUCH SWITCH**



VERTICAL

OR

HORIZONTAL HANGING

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-2-A	500mm	700mm	45mm
RS-J14-100e-2-B	600mm	900mm	45mm
RS-J14-100e-2-B	1200mm	700mm	45mm





NOBLE

4MM

Copper-free mirror

LED

2835 beads

IP44

Waterproof rating

OPTIONAL

Heating pad

OPTIONAL

Time display


**SINGLE
TOUCH SWITCH**


VERTICAL

OR

HORIZONTAL HANGING

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-3-A	500mm	700mm	45mm
RS-J14-100e-3-B	600mm	900mm	45mm
RS-J14-100e-3-C	1200mm	700mm	40mm





AURORA

4MM

Copper-free mirror

LED

2835 beads

IP44

Waterproof rating

OPTIONAL


Heating pad


OPTIONAL

Time display

**SINGLE
TOUCH SWITCH**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-4-A	600mm	700mm	45mm
RS-J14-100e-4-B	1000mm	700mm	45mm





EROS

4MM

Copper-free mirror

LED

2835 beads

IP44

Waterproof rating

OPTIONAL

Heating pad


OPTIONAL


Time display

**SINGLE
TOUCH SWITCH**

**MAKEUP MIRROR
3X MAGNIFYING**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-5-A	1000mm	700mm	45mm





VENUS

5MM
Copper-free mirror

LED
2835 beads

IP44
Waterproof rating


ANTI-FOGGING
With heating pad

OPTIONAL
Time display

SINGLE TOUCH SWITCH

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J15-100e-3-A	600mm	700mm	40mm
RS-J15-100e-3-B	800mm	700mm	40mm
RS-J15-100e-3-C	1000mm	700mm	40mm





HARMONY

5MM

Copper-free mirror

LED

2835 beads

ANTI-FOGGING


With heating pad


OPTIONAL

Time display

SINGLE TOUCH SWITCH

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J01-100e-1-A	500mm	700mm	30mm





DAWN

5MM

Copper-free mirror

LED

5050 beads

ARYLIC OR PS DIFFUSED
LED LIGHTING


ANTI-FOGGING


With heating pad

SWIPE ON/OFF

WITH INFRARED SENSOR

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-1-A	600mm	700mm	40mm
RS-J16-100e-1-B	800mm	700mm	40mm
RS-J16-100e-1-C	1000mm	700mm	40mm





GALAXY

5MM

Copper-free mirror

LED

5050 beads


**ARYLIC OR PS DIFFUSED
LED LIGHTING**


ANTI-FOGGING

With heating pad

**SWIPE ON/OFF
WITH INFRARED SENSOR**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-2-A	600mm	700mm	40mm
RS-J16-100e-2-B	800mm	700mm	40mm
RS-J16-100e-2-C	1000mm	700mm	40mm





PEACE

5MM

Copper-free mirror

LED

5050 beads

**ARYLIC OR PS DIFFUSED
LED LIGHTING**

ANTI-FOGGING

With heating pad

SWIPE ON/OFF


WITH INFRARED SENSOR

VERTICAL


OR


HORIZONTAL HANGING

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-3-A	600mm	700mm	40mm
RS-J16-100e-3-B	800mm	700mm	40mm
RS-J16-100e-3-C	1000mm	700mm	40mm



6000K
Optional(default)





MELODY

5MM

Copper-free mirror

LED

3838 BI-colorbeads

**ARYLIC OR PS DIFFUSED
LED LIGHTING**

BLUETOOTH

SOUND SYSTEM

TIME&TEMP DISPLAY

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-4-A	500mm	700mm	45mm
RS-J16-100e-4-B	600mm	900mm	45mm



FRAMED MIRRORS



GLORY

4MM
Copper-free mirror

OPTIONAL
Time display

LED
2835 beads

DOUBLE TOUCH SWITCHES

ANTI-FOGGING
With heating pad

FRAME ALUMINUM

CODE	Ø DIAMETER (mm)	DEPTH (mm)
RS-J04-100e-A	Ø600	40mm
RS-J04-100e-B	Ø800	40mm

3000K
Optional



6000K
Optional(default)

FRAME

Matt black

Brushed bronze





AGNES

5MM

Copper-free mirror

LED

5050 beads

ANTI-FOGGING

With heating pad


OPTIONAL

Time display

SINGLE

TOUCH SWITCH

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J15-100e-5-A	600mm	700mm	40mm
RS-J15-100e-5-B	800mm	700mm	40mm
RS-J15-100e-5-C	1000mm	700mm	40mm



FLORA

5MM

Copper-free mirror

LED

5050 beads

ANTI-FOGGING

With heating pad

OPTIONAL

Time display

SINGLE

TOUCH SWITCH

FRAME

ALUMINUM

CODE

WIDTH (mm)

HEIGHT (mm)

DEPTH (mm)

RS-J15-100e-6-A

600mm

700mm

40mm

RS-J15-100e-6-B

800mm

700mm

40mm

RS-J15-100e-6-C

1000mm

700mm

40mm

3000K

Optional

6000K


Optional(default)




Matt black



Brushed bronze








FAIRY

- 5MM**
Copper-free mirror
- LED**
2835 beads
- ANTI-FOGGING**
With heating pad
- OPTIONAL**
Time display
- DOUBLE TOUCH SWITCHES**
- FRAME ALUMINUM**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J03-100e-1-A	780mm	750mm	40mm
RS-J03-100e-1-B	980mm	750mm	40mm
RS-J03-100e-1-C	1180mm	750mm	40mm





ROYAL

5MM
Copper-free mirror

LED
2835 beads


ANTI-FOGGING
With heating pad

OPTIONAL
Time display

DOUBLE TOUCH SWITCHES

FRAME STAINLESS STEEL

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J07-110e-1-A	580mm	900mm	40mm



MEDICINE CABINET




DREAM

- 3MM**
Copper-free mirror
- LED**
5050 beads
- ANTI-FOGGING**
With heating pad
- OPTIONAL**
Time display
- DOUBLE TOUCH SWITCHES**
- FRAME ALUMINUM**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G03-110e	550mm	800mm	135mm
RS-G03-220e	750mm	800mm	135mm
RS-G03-330e	950mm	800mm	135mm
	1150mm	800mm	135mm






GEMINI

3MM
Copper-free mirror

FRAME
ALUMINIUM

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G03-110	500mm	700mm	135mm
RS-G03-220	750mm	700mm	135mm
RS-G03-330	950mm	700mm	135mm
	1150mm	700mm	135mm



ETERNITY

3MM

Copper-free mirror

LED

5050 beads

ANTI-FOGGING

With heating pad

OPTIONAL

Hair dryer holder


OPTIONAL


Power outlet

**SINGLE
TOUCH SWITCH**

**FRAME
ALUMINUM**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G12-213e	800mm	700mm	135mm





LIBERTY

3MM
Copper-free mirror

LED
2835 beads


MODULARIZED LIGHTS
ON BOTH SIDES



ANTI-FOGGING
With heating pad

SWIPE ON/OFF
WITH INFRARED SENSOR

FRAME
ALUMINUM

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G12-220e-1-A	645mm	700mm	135mm
RS-G12-220e-1-B	845mm	700mm	135mm





EXPLORER

3MM

Copper-free mirror

LED

2835 beads


MODULARIZED LIGHTS
ON TOP


ANTI-FOGGING
With heating pad

SMPE ON/OFF
WITH INFRARED SENSOR

FRAME
ALUMINUM

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G12-220e-2-A	600mm	725mm	135mm
RS-G12-220e-2-B	800mm	725mm	135mm





SECRET

3MM

Copper-free mirror

LED

2835 beads

FAST INSTALLATION
BUFFER DAMPING HINGE

ANTI-FOGGING


With heating pad

SWIPE ON/OFF
WITH INFRARED SENSOR



FRAME
ALUMINUM

RECESSED
INSTALLATION

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G13-220e-1-A	750mm	800mm	135mm



MAKE-UP MIRRORS



MIRACLE

DOUBLE-SIDE
GLASS

PLANE MIRRO

AND

3X MAGNIFYING

LED

White-color beads

NON-CONTACT SWITCH WITH
9-MIN TIMING FUNCTION

NO WIRES

9V battery

**WALL HUNG
MAKEUPMIRROR**

Frame:
Electroplated-chromium iron

CODE


Ø DIAMETER (mm)

MAX STRETCH SIZE (mm)

RS-H01-100e-1


Ø190

460*360mm



6000K





MAGIC

DOUBLE-SIDE
GLASS

→

PLANE MIRRO

AND

3X MAGNIFYING

LED
White-color beads

220V
Supplied by power cable

WALL HUNG
MAKEUPMIRROR

Frame:
Electroplated-chromium iron

CODE	WIDTH(mm)	HEIGHT (mm)	MAX STRETCH SIZE (mm)
RS-H01-100e-2	180mm	180mm	450*238mm

